



Aalborg Universitet

**AALBORG UNIVERSITY**  
DENMARK

## **New Insights into the Condensation Kinetics and Structure of Sol-Gel Silicate Glasses**

Du, T.; Smedskjær, Morten Mattrup; Li, H.; Bauchy, Mathieu

*Publication date:*  
2018

[Link to publication from Aalborg University](#)

### *Citation for published version (APA):*

Du, T., Smedskjær, M. M., Li, H., & Bauchy, M. (2018). *New Insights into the Condensation Kinetics and Structure of Sol-Gel Silicate Glasses*. Abstract from 2018 Glass and Optical Materials Division Annual Meeting, San Antonio, Texas, United States.

### **General rights**

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

- Users may download and print one copy of any publication from the public portal for the purpose of private study or research.
- You may not further distribute the material or use it for any profit-making activity or commercial gain
- You may freely distribute the URL identifying the publication in the public portal -

### **Take down policy**

If you believe that this document breaches copyright please contact us at [vbn@aub.aau.dk](mailto:vbn@aub.aau.dk) providing details, and we will remove access to the work immediately and investigate your claim.

## **(GOMD-S4-075-2018) New Insights into the Condensation Kinetics and Structure of Sol-Gel Silicate Glasses**

T. Du<sup>\*1</sup>; M. M. Smedskjaer<sup>2</sup>; H. Li<sup>1</sup>; M. Bauchy<sup>3</sup>

*1. Harbin Institute of Technology, School of Civil Engineering, China 2. Aalborg University, Department of Chemistry and Bioscience, Denmark 3. University of California, Los Angeles, Department of Civil and Environmental Engineering, USA*

The sol-gel method is an attractive technique to synthesize homogeneous glasses with high purity while relying on lower processing temperatures than in the melt-quench method. The sol-gel method can also be used to synthesize unusual glasses that are likely to be inaccessible from direct quenching. However, the role of the composition and concentration of the sol-gel precursors remain unclear. Here, based on reactive molecular dynamics simulations, we investigate the sol-gel formation of calcium silicate glasses exhibiting various Ca/Si ratios. The structure of the obtained sol-gel glasses is compared to that of their isochemical melt-quenched counterparts. The role of the fraction of Ca cations on the condensation kinetics is discussed.